




Бюро перекладів KLS *Ми більше ніж слова!* м. Київ, вул. Рейтарська 2, оф. 21 тел. (044) 229-34-69, (098) 077-96-97 ел. пошта: <u>office@kls.in.ua</u> www.kls-agency.com.ua

Переклад з української мови на англійську мову Translation from Ukrainian into English

Let me inform you that according to the State Committee of Ukraine for Technical Regulation and Consumer Policy and the results of testing dated at 01.02.2015 № 38 — mobile inflatable construction "dome - tent " is made of safe materials.

Nylon fabric, the dome is made of, is not included into the list of flammable substances.

BAO number 438831





ДЕРЖАВНА СЛУЖБА УКРАЇНИ З НАДЗВИЧАЙНИХ СИТУАЦІЙ ДЕРЖАВНИЙ ЦЕНТР СЕРТИФІКАЦІЇ ДСНС УКРАЇНИ

Юридична адреса: 01024, м. Київ, вул. Круглоуніверситетська, 20/1 Поштова адреса: 01011, м. Київ, вул. Рибальська, 18 Тел./факс: 461-91-31 E-mail: info@dcs.gov.ua Код ЄДРПОУ 14319662

20 листопада 2014 р. № _267/1

На № _____ від 11.11.2014 р.

Директору ТОВ «НОВІТНЯ СЕНСОРНА ОСВІТА» <u>Нікітчук В.О.</u> 01042, м. Київ, вул. Академіка Філатова, 10а тел.: (063) 397-19-99

Повідомляю Вас, що згідно з наказом Державного комітету України з питань технічного регулювання і споживчої політики та результатами тестування від 01.02.2015 № 38 надувна мобільна конструкція "Купол - палатка" виготовлена з бзепечних матеріалів.

Капронова тканина з якої виготовлений купол не входить до списку легкозаймистих речовин.

Директор

А.В. Кучмійов



Вик. Ромащенко С.О. (044) 461-91-36

F-SP.01-01 revision 13.06.2013



Go-Dome

Test ReportNo. AJFS1807006581FFDate: JUL.11, 2018Page 1 of 3AVELA (SHANGHAI) TRADING CO., LTD.

ROOM 2958, NO.6088, MINHANG PLAZA, HUMIN ROAD, MINHANG DISTRICT, SHANGHAI

The following sample(s) was / were submitted and identified on behalf of the client as: Sample Description: FLAME RETARDANT FLOCKING FABRIC Color: BLACK Style/Item No.: / Buyer: GO-DOME Country of Destination: US

Test Requested:

Determine the flame resistance in accordance with test method 2 (folded test) of NFPA 701:2015 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

Test Results: -- See attached sheet --

Conclusion: The tested sample "As Received" **meets** the requirements of Test Method 2 (folded test) of NFPA 701:2015.

Test Period:

Sample Receiving Date	:	JUL.06, 2018
Test Performing Date	:	JUL.06, 2018 TO JUL.10, 2018

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

Allen Zou Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.aga.com/en/Terms.and-Conditions agreed for electronic format documents, subject to Terms and Conditions for Electronic Documents in http://www.aga.com/forms.and-Conditions.agr.en/Terms.agr.com/formation/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.com/forms.agr.forms.agr.com/forms.agr.com/forms.agr.forms.

No. 301, Sunlight Road, 2 Blook, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (36-572) 5018825 f (36-572) 5018825 y www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (36-572) 5018825 f (36-572) 5018825 e sgs.china@sgs.com



Test Report

No. AJFS1807006581FF Date: JUL.11, 2018

Page 2 of 3

I. Test Conducted

This test was conducted in accordance with test method 2 (folded test) of NFPA 701:2015 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films.

II. Details of tested sample

Sample description / Color	Flame retardant flocking fabric / Black	
Area density	About 307 g/m ²	
Products configuration	Single layer	
Size of sample *	1200 mm×610 mm	

* With the length parallel to the lengthwise direction of the material

III. Cleaning and Conditioning

Prior to testing, the sample was conditioned for 2 hours at $105^{\circ}C \pm 3^{\circ}C$.

Cleaning procedure: None

IV. Test results

Specimen No	Char length (mm)	After flame time (s)	Burning time of residues or drops (s)
1	378	0	0
2	411	0	0
3	396	0	0
4	404	0	0

Criteria for test method 2 (folded test) (Chapter 15):

- 1. When any specimen continues flaming for more than 2 seconds after the test flame is removed from contact with the specimen, the material shall be recorded as having failed the test.
- 2. When the length of char of any individual folded specimen exceeds 1050 mm, the material shall be recorded as having failed the test
- 3. When at any time during or after the application of the test flame any portions of residues of the material being tested break or drip from the specimen and fall to the floor of the test apparatus and continue burning for more than 2 seconds after reaching the floor of the test apparatus, the material shall be recorded as having failed the test
- 4. In the event that only one of the four folded specimens does not meet the criteria of 1 above, two new specimens cut in the same direction as the one that failed shall be tested, if both of the new specimens meet all of the criteria, the material shall be recorded as having passed this test.

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at three/news.gs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgx.com/en/Terms-and-Conditions/Terms-e-Document</u> appx. Attention is drawn to the limitation of liability, indeemification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's so the company's findings at the time of its intervention only and within the limits of cilent's instructions, if any. The Company's so the company's findings at the time of its intervention only and within the limits of cilent's instructions, if any. The Company's so the company, any unsubtributed alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone.(B6-755) 8307 1443, or email: CN.Doccheck@ges.com No.301, SunghtRod, Zibid, SunghtRod, Zibid, SunghtRod, Zibid, Che Schrige States (S-572) 501829 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No. AJFS1807006581FF

Date: JUL.11, 2018

Page 3 of 3

Photo Appendix:



SGS authenticate the photo on original report only ***End of Report***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ggs.com/en/Terms-and-Conditions_aspx and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at http://www.ggs.com/en/Terms-and-Conditions_Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions. If any. The Company's sole responsibility is to its Cilent and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be respondence except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: C. check, the authenticity of testing / inspection report & certificate, please contact us at telephone:(16-75) 6307

No. 301, Sunight Road, 2 Blook, Sunight Industry Zone, Anji County, Zhejang Province, China 313300 t (36-572) 5018825 f (36-572) 5018825 www.sgsgroup.com.cn 中国 •浙江 •安吉县阳光工业园二区阳光大道301号 邮编:313300 t (36-572) 5018825 f (36-572) 5018825 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)